#### **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.






# WATER SUPPLY OUTLOOK FOR MONTANA

FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS

UNITED STATES DEPARTMENT of AGRICULTURE...SOIL CONSERVATION SERVICE, and MONTANA AGRICULTURAL EXPERIMENT STATION

Data included in this report were obtained by the agencies named above in cooperation with Federal, State, and private organizations listed on the inside back cover of this report.



#### TO RECIPIENTS OF WATER SUPPLY OUTLOOK REPORTS:

Most of the usable water in western states originates as mountain snowfall. This snowfall accumulates during the winter and spring, several months before the snow melts and appears as streamflow. Since the runoff from precipitation as snow is delayed, estimates of snowmelt runoff can be made well in advance of its occurrence. Streamflow forecasts published in this report are based principally on measurement of the water equivalent of the mountain snowpack.

Forecasts become more accurate as more of the data affecting runoff are measured. All forecasts assume that climatic factors during the remainder of the snow accumulation and melt season will interact with a resultant average effect on runoff. Early season forecasts are therefore subject to a greater change than those made on later dates.

The snow course measurement is obtained by sampling snow depth and water equivalent at surveyed and marked locations in mountain areas. A total of about ten samples are taken at each location. The average of these are reported as snow depth and water equivalent. These measurements are repeated in the same location near the same dates each year.

Snow surveys are made monthly or semi-monthly from January 1 through June 1 in most states. There are about 1400 snow courses in Western United States and in the Columbia Basin in British Columbia. In the near future, it is anticipated that automatic snow water equivalent sensing devices along with radio telemetry will provide a continuous record of snow water equivalent at key locations.

Detailed data on snow course and soil moisture measurements are presented in state and local reports. Other data on reservoir storage, summaries of precipitation, current streamflow, and soil moisture conditions at valley elevations are also included. The report for Western United States presents a broad picture of water supply outlook conditions, including selected streamflow forecasts, summary of snow accumulation to date, and storage in larger reservoirs.

Snow survey and soil moisture data for the period of record are published by the Soil Conservation Service by states about every five years. Data for the current year is summarized in a West-wide basic data summary and published about October 1 of each year.

#### PUBLISHED BY SOIL CONSERVATION SERVICE

The Soil Conservation Service publishes reports following the principal snow survey dates from January 1 through June 1 in cooperation with state water administrators, agricultural experiment stations and others. Copies of the reports for Western United States and all state reports may be obtained from Soil Conservation Service, Western Regional Technical Service Center, Room 209, 701 N. W. Glisan, Portland, Oregon 97209.

Copies of state and local reports may also be obtained from state offices of the Soil Conservation Service in the following states:

STATE	ADDRESS
Alaska	P. O. Box "F", Palmer, Alaska 99645
Arizona	6029 Federal Building, Phoenix, Arizona 85205
Colorado (N. Mex.)	12417 Federal Building, Denver, Colorado 80521
Idaho	P. O. Box 38, Boise, Idaho 83707
Montana	P. O. Box 98, Bozeman, Montana 59715
Nevada	P. O. Box 4850, Reno Nevada 89505
Oregon	1218 S. W. Washington St., Portland, Oregon 97205
Utah	4012 Federal Building, Salt Lake City, Utah 84111
Washington	360 U.S. Court House, Spokane, Washington 99201
Wyoming	P. O. Box 340, Casper, Wyoming 82602

#### PUBLISHED BY OTHER AGENCIES

Water Supply Outlook reports prepared by other agencies include a report for California by the Water Supply Forecast and Snow Surveys Unit, California Department of Water Resources, P. O. Box 388, Sacramento, California 95802 --- and for British Columbia by the Department of Lands, Forests and Water Resources, Water Resources Service, Parliament Building, Victoria, British Columbia

## WATER SUPPLY OUTLOOK FOR MONTANA

and FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS

Issued by

D.A. WILLIAMS

ADMINISTRATOR
SOIL CONSERVATION SERVICE
WASHINGTON, D.C.

Released by

A. B. LINFORD

STATE CONSERVATIONIST
SOIL CONSERVATION SERVICE
Bozeman, Montana

In Cooperation with

J. A. ASLESON

DIRECTOR

Montana Agricultural Experiment Station

Report prepared by


P. E. FARNES, Snow Survey Supervisor

SOIL CONSERVATION SERVICE P.O. Box 98 Bozeman, Montana 59715



#### TABLE OF CONTENTS

WATER SUPPLY OUTLOOK	9	ø	Page
MAP OF SNOW COURSES AND SOIL MOISTURE STATIONS	•	٠	2
SNOW SURVEY DATA	0	0	3-5
SOIL MOISTURE DATA	٥	0	6-8
RESERVOIR STORAGE DATA	0	۰	9
LIST OF COOPERATORS Insid	e	Back	Cover



#### MONTANA WATER SUPPLY OUTLOOK

January 1, 1969


January snow surveys were made in extremely cold, deep powder snow, and during frequent periods of heavy snowfall and strong winds.


In general, measurements show the snow pack is now 10 to 20 percent above the 1953-67 average. Only a few measurements are made near the first of January to obtain an index of early season snow accumulation. Normally, the January 1 snow pack represents about 40 percent of the April 1 accumulation.

Soils under the snow pack are wetter than usual. In many areas, particularly at low and median elevations, soils are near field capacity. This will increase the runoff from the winter snow pack and spring precipitation.

Storage in many reservoirs is near or above average.

Presently there are 29 snow pillow installations in Montana. Monthly readings will be published for many where current records are available. Beginning with the March 1 bulletin, daily snow water equivalent for each pillow will be shown graphically.





# INDEX to MONTANA SNOW COURSES and SOIL MOISTURE STATIONS

	Head By 2						222	7.7	1881			10	69	6 1 1 1		9			y 15	e	urces Wildlife ct
	Messuring Ootes 1		3,4,5 3,4,5,5½,6 3,4,5 3,4,5 3,4,5,5½,6 3,4,5	1 444444444 644444444444			Monthly Monthly Monthly	Monthly Monthly	Monthly Monthly Monthly Monthly	Monthly Monthly		Monthly	Monthly Monthly	Monthly Monthly Monthly Montbly	Monthly	Monthly Monthly			March 1, April 1, May 1, May	eriment Statio	Ospartment of Emergy, Mines & Resources U. S. Burees of Sport Plaheries & Wildlife Brivete Cooperator Soll and Weter Conservation District
	Record			1961 1937 1966 1965 1961 1960	ONS		1964 1964 1964	1956 1950	1965 1961 1963 1964	1962 1963		1962	1961 1966	1965 1956 1965 1963	1963 1963	1960 1962			h 1, Apri	was turel Exp hool of F	of Energy u of Spor peretor ter Conse
	Range		10E 18E 15E 9E 14E 19E	12E 10E 10E 16E 15E	STATIONS	COLUMBIA RIVER BASIN	304 254 294	19W	15W 15W 15W 17W	19W 24W	BASIN	217	JE SM	68 58 58 58	88	TE 14E				es follows: Agricultur of M. Schoo	artment S. Buree vate Coo
	T.		88 88 89 89 87 87 87	27 8 4 2 4 8 5 8 5 8 8 5 8 8 8 8 8 8 8 8 8 8 8 8			25N 34N 26N	31N 30M	8N 13N 17N 6M	28 10M	IVER	145	38 138	1M 2S 4S 11S	13W 13W	2M 9S		Q Z	February	7	9. 00. 10. 11. Pril
	890			2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5	IBIA B	200	377	30 211 26	77	MISSOURI RIVER	23	37	25 18 10 1	34, 16	33.5		LEGEND	Jenuary 1, February 1,	the anov	
	Elev	~		8800 6550 6550 8100 8850 8700	9	COLUIA	M 3000 M 3000	M 5600 M 5250	M 7100 M 4100 M 7260	M 7100	MISSO	00 <b>4</b> 9 H	0049 H	и 7250 и 4856 и 6860 и 7150	EM 7420	M 6020			¢	at makes th	ey ervloe
	Number	ONE RIVE	1000 1000 1000 1000 1000	10012 10007 10000 10010 10000 9004 9002	SOIL		15815M 14A10M 15A02M	13A02M 13A05M	13C13M 13C14M 13B19M 13C03H	13018M 14005M		1 11E13M	M2011	10015M 11002M 10013M 11E06M	AIN STEM 10C01M 12C08M	10011M 10007M			52,6 ref	Agency that Conservation t Sorvice	Compony Service
	Dreinsge Beain		Bald Hidge Camp Senie Cooke Station Crevice Hountein Fisher Creek Grizzly Peek Independence	Monument Peak Northeast Entrence Poroughae R.S. Soasjawes South Fork Shielde Timberine Greek West Resebud		-	KOOTENAI RIVER Baree Tre11 Murphy Laka R.S. Ravon R.S.	FLATHEAD RIVER Oesert Mountain Maries Pess	CLARK FORK RIVER Black Pine Lubrecht Forest Seeley Leke Skelksho Summit	BITTERROOT RIVER Glbbons Pase Lolo Pesa		BEAVERHEAD RIVER	MADISON RIVER Red Bluff West Yellowstone	GALLATIN RIVER Bridger Boul Colloge Site Lick Creek Twenty-One Mile	MISSOURI RIVER M Kinga Hili Stemple Poss	YELLOWSTONE RIVER Battle Hidge Northeest Entranca			1/ Numersla 1,2,3,4,5,52,6 refer end June 1.	u. S U. S	3. U. S. Geological Survey 4. Montan Power Caspany 5. U. S. Indian Service 6. U. S. Netlanal Park Service
	Hees.		1,12	dada	r1 <b>7</b>	7777			7,01000				4446	¢-150	12 H Z H Z H Z	w H v m m m		aana.			
	Meesuring Oates 1		~~~~~~ 4444444 ~~~~~~	# # # # # # # # # # # # # # # # # # #	3,4,5	2,3,4,5 2,3,4 1,2,3,4,5 1,2,3,4,5	3,4,5	1,2,3,4,5 3,4,5,58,6 3,4,5,58,6	1,2,3,4,5,54,6 3,4,5,54,6 3,4,5 3,4,5 3,4,5 3,4,5	3,4,5	1,2,3,4,5,5\$,6	1,2,3,4,5,5\$;6 1,2,3,4,5,5\$;6 1,2,3,4,5,5\$;6	1,2,3,4,5,5\$,6 1,2,3,4,5,5\$,6 1,2,3,4,5	1,2,3,4,5		3,45,54,6 1,2,3,4,5 1,2,3,4,5 1,2,3,4,5 1,2,3,4,5	5 1,2,3,4,5 4 3,4,5 9 3,4,5 9,4,5 9,4,5	3,4,5	1,2,3,4,5,5\$,6 3,4,5 3,4,5		3,4,5 3,4,5 3,4,5 1,2,3,4,5 6
	Record		1967 1963 1963 1967 1963 1967	1963 1963 1963 1967 1968		1961 1941 1938 1968			1968 1965 1965 1965 1965		1963 1963 1965 1967					1937 1937 1937 1938	1935 1964 1969 1969	1948 1948 1934 1969	1969 1949 1949	3	1956 1941 1966 1963
	Range		有思考的历	411 161 181 181	3.5	2568	75.55	2 K H H S E		25.	38.33	3335	0E 0	16E 3E 5W	10E 10E 8E 12E	1168 168 24 24 24 24 24 24 24 24 24 24 24 24 24	5W 11W 11W	10W 10W 10W	9W 10W 10W	-!	172 18E 9E
	έl		45 95 125 45 113	38 85 18 24 55	3.W	36.55	88	3 S S S S S S S S S S S S S S S S S S S	128 128 108 108 128	138	55 65 11N 10S	X 24 24 24 25	38 58 98 118	28M 9M 8N	88 80 80 80 81 11 80	13N 28M 13N 8N	27M 28N 23N	20N 26N 22N 25N	25N 25N 25N	į	12N 12N 12N
	Seo.		22 28 22 28 25 26 26 26 26 26 26 26 26 26 26 26 26 26	20000		1225			123538				18K51			12667 1267 12		18 53 33			24 19 20
	Elev		8850 8600 7900 7850 8500-	8800 8600 8280 8450 8750		9000 7200 8000			7750 7500 7500 7150 8300		7350 8150 7250 9000			¥		5450 7500 6600 6600 6800	× ×	5700 6000 7000 6400			7100 6100 8000
	Number		111014 111008 12507 11015 12506	13020 13019 13021 13023	12007	1200 1200 12001 12011	70011	11E05 11005 11E28	11E23 11003 11E23 11E24 11E26	11530	10014 11009 10015 11E29	10004	10001 10001 11013 11E06	MAIN ST 9402 11001 12005	10003 10004 10004 10001	1001 10001 9A01 12001 12002	12C04 AS RIVERS 13A20 12B06	12809 12801 12807 12812	12813 12804 12803		9002 9001 9003 10006
	Ureinage Basin & Course Name	RUBY RIVER	Brenham Lakes Clover Headow Olvide Middle Mill Creek Motch Sauggler Mine	81G HOLE RIVER Abundance Lake Gerkhorne Lake Foolhen Follande Creek Slegra-Helt Lake	JEFFERSON RIVER Berry Medow Copper Mountein	Mez Perce Creek Flonte Crounda Plpestone Pess Rocker Pesk	MADISON RIVER Call Road Four Mile	Hebgen Com Jack Greek Lake Creek Libon Mountain	Madloon Plateeu Meridian Creek North Meedow Potomageton Park Sentinol Greek	Whiskey Grook GALLATIN RIVER	Arch Fells Beer Basin Bridger Bowl Cerrot Basin	Oevlis Slide Hood Mesdow Lick Creek Little Perk	raynsru Creek New World Shower Falls Teylor Peeks Twenty-One Mile		Eagle Creek Elk Peak Forest Lake C.S. Greeshopper Haymaker	Johnson Perk Kings Hill Rocky Boy Stemple Pess Ten Mile Louer Ton Mile Mildie	Ton Mile Upper  SUN-TETON-MARI Badger Peas Blue Lake Gahl, Greek	Flve-Bull Frelght Greek Gost Mountain Mount Lockhart	Waldron Wrong Creek Wrong Ridge	JUDITH RIVER	Avelanche Grystal Lake Hock Creek Spur Park
	Mees. By 2/		448844	innnnni.	1,2	2,5	, , , , , , , , , , , , , , , , , , ,	3,2	, , , , ,	1,2	2, 7,7	4 4 8 5 2 4 8	2222	H 7 80 H 7 80 E0	nada e		ଦୁଦ୍ଦୁଦ୍ ଅଅଅଅଅଅଅ		-11-	64 0 0 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0	
	Meseuring Dates 1		2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,	1,2,3,4,5,7,40,6 1,2,3,4,5,7,40,6 1,2,3,4,5,7,40,6 1,2,3,4,5,7,40,6 1,2,3,4,5,7,40,6 1,2,3,4,5,7,40,6	3,4,5 1,2,3,4,5 1,2,4,5,5,5,5 3,4,5,5,5,5,5 3,4,5,5,5,5,5 3,4,5,5,5,5,5 3,4,5,5,5,5,5 3,4,5,5,5,5,5 3,4,5,5,5,5,5 3,4,5,5,5,5,5 3,4,5,5,5,5,5 3,4,5,5,5,5 3,4,5,5,5,5 3,4,5,5,5,5 3,4,5,5,5,5 3,4,5,5,5 3,4,5,5,5 3,4,5,5 3,4,5,5 3,4,5,5 3,4,5 3,5 3,5 4,5 3,5 4,5 4,5 4,5 5,5 5,5 6,5 6,5 6,5 6,5 6,5 6,5 6,5 6	3,4,5	1,2,3,4,5 1,2,3,4,5,6 1,2,4,5,6 6,5,5,6,6,6,6,6,6,6,6,6,6,6,6,6,6,6	1,2,3,4,5,52,6	1,2,0,4,5,5,5,6 1,2,0,4,5,5,5,5,5,5,5,5,5,5,5,5,5,5,5,5,5,5	1,2,3,4,5,5½,6 3,4,5 3,4,5	1,2,3,4,5 3,4 3,4,5 3,4,5 3,4,5	1,2,3,4,5,5\$,6 1,2,3,4,5 2,3,4,5 1,2,3,4,5	1,2,3,4,5 1,2,3,4,5 1,2,3,4,5,52,6 3,4,5,52,6	11.25.25.25.25.25.25.25.25.25.25.25.25.25.	3,4,5	3,4,5 3,4,5 3,4,5,5\$,6 1,2,3,4,5,5\$,6	w 4, www.ww			0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,	
	Record			1966 1966 1969 1969 1969					1957 1941 1948 1948 1951					1937 1936 1936 1936 1936		1937 1937 1968 1968	1963 1922 1955 1922 1922		1948 1963 1965	1935 1948 1948 1948	1948 1948 1948
SES	Range	COLUMBIA RIVER BASIN	310 300 300 300 300 300 300	294 294 294 294 324 334	35% 29% 31% 29% 25% 25%	25W 11W 18W	19W 18W 18W 25W	22W 22W 22W 24W	174 174 174 164 154	15W 99W 99W	12% 12% 12% 27%	128 128 128 128 128 128	150 150 150 150 150 150 150 150 150 150	15W 15W 15W 15W 15W 15W	18W 17W 19W 23W	234 234 234 234 234	144 174 164 164 164 174	BASIN	16# 74 13W	22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	751 128 128 128
SNOW COUR	Twp	RIVER	27N 26N 26N 25N 32N	28N 28N 37N 37N 37N 37N	30N 27N 27N 36N 36N	24N 28N 22N	35M 25N 35M 26N	21N 20N 20N 20N	25N 25N 25N 26N 26N	15N 15N	18N 8N 00N 17N	3388	N N N N N	15 A 4 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	9 N S S S S N S N S	11S 22S 5M 5N	355 N	IVER	88 123	3833	105 105 143
	v. Sec.	MBIA		18 18 32 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					#K~G~3*					2655 8 3 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		22,2,2%	273375	MISSOURI RIVER BASIN		2,5	
	3	COLL		2000 2000 2000 2000 2000 2000 2000 200					6100 6200 6200 6200 6200 6200 6200 6200					65000		5680 6570 7740 9 5600 8 6510	8 5800 3 5800 3 5800 4 6900 5 5800	MISSO		2 7800 9 8100 6 6930 3 7400	
	Munber			1400 15406 15406 15406 15407 15405 15405	1540 1540 1540 1540 1641 1640	1480. 1380.			13802 13801 13801 13801 13802					1300 1300 1300 1300 1300 1300 1300	œ	1,002 1,001 1,022 1,013 1,013	8 A S F N 13 A 13 13 A 03 13 A 07 13 A 05 13 A 06 13 A 06 13 A 06 13 A 06 13 A 06	œ		13015 13069 11E04 11E03	13E0 13E0 12E0
	Dreinage Basin & Course Name		K O O TENAI RIVER Said bagle Peak Barfleid Acuntein Bareo Great Bareo Hidmy Sareo Treil Bristow Greek	Brush (Track Cdear Grove Clingbeck Trall Davis Grock Dodge Creek Garvar Greek Groves Greek	Kaeler Creek Lest Soul Poorman Creek Red Mountain Stehl Peak Weesel Olvide	FLATHEAD RIVER Besser Laks Blg Cresk	Camp Missry Desert Mountain Fatty Creek Flettop Mountain Griffin Creek Olivide	Hell Roaring Olvide Hell Roaring Olvide Holbrock Klahenehn Logen Creek	Maria Creek Morth Fork Jocko Spotted Beer Wunteln Trinkus Lake Twin Creeks Upper Molland Lake	CLARK FORK RIVE Bleck Flue Copper Greek Cotter Mine	Coyote Hill El Doredo Mine Fred Burr Pass Gold Greek Lake Heart Lake Irail	Hoodoo Creek Intergerd Lubracht Forest No. 3	Lubrecht Forset Mo. Lubrecht Forset Mo. N. Fork Elk Greek Fed Lion Skelkabo Summit	Stide Nock Mountein Southern Cross Spring Guich Storm Lake Stourt Mountein I.V. Mountein	AMBTON RIVE AMBTON East Fork R.S. Glübons Pass Lost Horse	Nes Perce Camp Nes Perce Pass Sadde Mountain Twelvamile Greek Tvn Lakes	05 *	BEAVERHEAD RIVE	Bloody Olck Certer Creek Ded Creek Leke	Elk Horn Springs Gold Stone Lakeview Cenyon Lakeview Ridge	Lamhl Pass Lamhl Pass Lashl Greek Treil Greek White Pine Ridgs

#### SNOW SURVEY DATA

AS OF JANUARY 1, 1969

			CUR	RENT DATA		PAST RE	CORD	
	SNOW COURSE		DATE OF	SNOW DEPTH	WATER CONTENT	WATER CONTENT		
NO.	NAME	ELEVATION	SURVEY	DEFTI	CONTENT	LAST YEAR	AVERAGE	
		COLUMBIA	RIVER BAS	IN				
FLATHEA	DRIVER							
13A02 14A03 13B13 13A05	Desert Mountain Hell Roaring Divide Holbrook Marias Pass	5600 5770 4530 5250	1/6 1/2 1/6	30 63 35	8.9 16.9 7.2	5.4 11.6 3.0 6.7	6.5 13.2* 3.4*	
13B02 13B11	Spotted Bear Mountain Twin Creeks ORK RIVER	7000 3580	<i>I</i>	2)	# o ∞	7.0 5.0	7.4 6.5* 5.0*	
OTESTIVE L	JUL RIVER							
13013 13013 13B10 14C10 15C10 15C10 15C01 15B02 13C21 13C22 13C08 13C18 13C07 13C01 14B01	Black Pine Pillow Coyote Hill Heart Lake Trail Hoodoo Basin Hoodoo Basin Pillow Hoodoo Creek Lookout Lubrecht Forest No. 3 Lubrecht Forest No. 4 Lubrecht Forest No. 6 Spring Gulch Storm Lake Stuart Mountain TV Mountain	7100 7100 4200 4800 6000 6000 5900 5250 5450 4650 4040 6000 7780 7400 6800	12/31 12/31 1/3 1/3 1/3 No Repor 1/3 12/27 1/3 1/3 1/3 1/2 12/30 1/2 1/2	23 SP 35 53 99 477 22 18 20 40 26 66 38	5.6 6.4 5.4 12.4 28.1 26.0 18.8 2.0 2.6 5.2 9.4		15.7 2.6 1.6 4.7* 5.5* 12.6*	
BITTERRO	OOT RIVER							
13D02 14C05 14C07 13D16 13D22 13D22 14C13 14C13 14C13	Gibbons Pass Lolo Pass Lost Horse Moose Creek Saddle Mountain Saddle Mountain Pillow Twelvemile Creek Twelvemile Creek Twin Lakes Twin Lakes	5600	12/31 12/30 12/30 12/26 12/31 12/31 12/30 12/30 12/30	43 60 53 28 46 SP 36 SP 68 SP	10.4 12.8 14.9 5.8 11.7 11.9 9.1 6.0 19.6	10.7 13.6 6.2 13.9 14.1 8.3 7.6 20.2 18.4	9.6	

SP - Snow pillow observation - water content only.



#### SNOW SURVEY DATA

AS OF JANUARY 1, 1969

CURRENT DATA

(Inches)

PAST RECORD

	SNOW COURSE		DATE OF	SNOW DEPTH	WATER CONTENT	WATER CONTENT				
NO.	NAME	ELEVATION	SURVEY	——————————————————————————————————————	CONTENT	LAST YEAR	AVERAGE			
MISSOURI RIVER BASIN										
BEAVERH	BEAVERHEAD RIVER									
12E03 11E12 11E04 11E03 11E32	Camp Creek Kilgore Lakeview Canyon Lakeview Ridge Sawtelle Mountain	6800 6200 6930 7400 8715	12/30 12/31 1/2 1/2 12/30	26 27 26 23 56	5.1 6.2 4.6 4.4 15.0	4.7 5.1 7.1 6.6	3.5 3.5*			
JEFFERS	ON RIVER									
12D01 12C11 12C11 12C12	Pipestone Pass Rocker Peak Rocker Peak Pillow Uncle Sam Gulch	7200 8000 8000 6500	12/30 1/3 1/3 1/3	17 31 SP 22	3.1 6.2 6.9 4.1	2.6 10.4 10.4	2.2*			
MADISON	RIVER									
11E09 11E05 11E10 10E02 11E08 11E07 11E07	Big Springs Hebgen Dam Island Park Norris Basin Valley View West Yellowstone West Yellowstone Pillow	6500 6550 6315 7500 6500 6700	12/30 12/31 12/30 12/23 12/30 1/1 12/30	41 26 36 19 33 31 SP	8.4 5.2 6.4 3.0 6.3 5.9 3.8	5.9 6.0 4.4 4.4 8.0 4.1 4.0	7.2 4.5 5.6 4.3* 5.3			
GALLATI	N RIVER			2						
10D14 10D15 10D04 10D03 10D13 10D13 10D18 10D18 10D16 11E06	Arch Falls Bridger Bowl Bridger Bowl Pillow Devil's Slide Hood Meadow Lick Creek Lick Creek Pillow Maynard Creek Maynard Creek Pillow Shower Falls Pillow Twenty-One Mile	7350 7250 7250 8100 6600 6860 6860 6210 6210 8100 7150	1/2 12/31 12/31 1/2 1/2 1/2 1/2 12/31 12/31 1/2 1/1	25 40 SP 38 19 19 SP 28 SP 44 46	5.7 11.8 10.5 10.0 4.0 3.7 3.1 6.9 4.9 12.0 9.3	9.7 18.3 18.5 17.7 8.9 7.4 8.9 10.9 9.4 18.4 7.4	3.3*			

SP - Snow pillow observation - water content only.



#### SNOW SURVEY DATA

AS OF JANUARY 1, 1969

		AS OF	JANUAKY 1	1969		(Inches)		
			C	URRENT DATA		PAST RE		
	SNOW COURSE		DATE OF	SNOW DEPTH	WATER CONTENT	WATER CONTENT		
NO.	NAME	ELEVATION	SURVEY	DEFIN	CONTENT	LAST YEAR	AVERAGE	
MISSOUF	RI RIVER (Main Stem)							
12005	Chessman Reservoir	6200	1/3	10	2.4	4.2	1.4	
9A01	Rocky Boy	4700	1/2	8	1.0	4.0		
9A01	Rocky Boy Pillow	4700	1/2	SP	1.2	3.4	<b>e</b> n	
12002	Ten Mile Lower	6600	1/3	20	4.3	4.2	2.8	
12003	Ten Mile Middle	6800	1/2	26	5.5	5.6	4.3	
12004	Ten Mile Upper	8000	1/2	30	6.9	8.4	5.5	
UPPER Y	<u> YELLOWSTONE</u>							
10E03	Canyon	7750	12/30	34	5.7	6.5	5.9	
10E06	East Entrance	7000	12/31	23	4.1	1.7	4.2	
9D05	Grizzly Peak	8400	1/3	25	5.8	10.0	7.2*	
10E04	Lake Camp	7850	12/30	2.1	3.8	2.6	3.5*	
10E01	Lupine	7300	1/6	22	4.1	CmQ.	4.2*	
10D07	Northeast Entrance	7400	12/30	21	4.5	4.4	3.5	
10D07	Northeast Entrance Pillow	7400	12/30	SP	4.2	5.0	<b>45</b> 5	
10E05	Sylvan Pass	7100	12/31	28	6.0	4.2	5.5*	

SP - Snow pillow observation - water content only.




#### SOIL MOISTURE DATA

AS OF NOVEMBER 1, 1968

(Inches) SOIL PROFILE CURRENT DATA PAST RECORD SOIL MOISTURE STATION DATE LAST FIELD SOIL \* \* AVERAGE DEPTH OF SURVEY MOISTURE YEAR CAPACITY NAME ELEVATION NO. COLUMBIA RIVER BASIN Kootenai 3800 48 11/4 6.7 15B15M Baree Trail 7.5 6.3 5.7 48 10/31 3000 22.6 19.9 18.6 18.6 14AloM Murphy Lake R.S. 15A02M Raven R.S. 3050 48 23.0 11/4 17.2 19.1 Flathead 5600 11/4. 8.9 13A02M Desert Mountain 54 8.4 8.1 6.4 13A05M 6.5 10/29 5.7 4.3 Marias Pass 5250 54 4.5 Clark Fork 10/25 Black Pine 7100 48 10.0 9.1 6.7 13C13M 13B19M Seeley Lake R.S. 4030 48 11.9 11/1 5.2 10.8 10/25 13CO3M Skalkaho Summit 7260 48 10.4 10.4 Bitterroot 10/29 48 6.2 5.6 13D18M Gibbons Pass 7100 7.1 5.6 10/31 6.1 7.4 9.7 48 10.6 14C05M Lolo Pass 5250 MISSOURI RIVER BASIN Beaverhead 15.3 6700 48 11/1 8.1 5.6 5.9 llE13M Lakeview Madison 3.1 Red Bluff 4800 4.7 10D04M 40 3.0 6700 48 6.5 10/28 2.8 llE07M West Yellowstone Gallatin 10/31 14.9 16.4 7250 48 17.0 10D15M Bridger Bowl 11/1 7.9 14.5 10.2 10.4 llDO2M College Site 4856 54 18.3 11/1 17.2 6860 48 18.8 10D13M Lick Creek 10/29 7.8 5.0 4.8 10.0 11E06M Twenty-One Mile 7150 Missouri Main Stem 6.7 7.7 11/1 9.7 7420 11.8 48 10COLM Kings Hill 4.2 4.1 5.9 13C08M 6350 48 Stemple Pass Yellowstone 10/31 11.2 LODITM 48 17.6 14.5 13.4 Battle Ridge 6020 6.8 6.9 4.8 9.4 10/30 8.5 10D07M Northeast Entrance 7350

<sup>\*\*</sup>AVERAGE FOR PERIOD OF RECORD



#### SOIL MOISTURE DATA

AS OF DECEMBER 1, 1968

(Inches) PAST RECORD SOIL PROFILE CURRENT DATA DATE SOIL MOISTURE STATION LAST FIELD SOIL \*\*AVERAGE 0F MOISTURE CAPACITY. YEAR ELEVATION NAME SURVEY NO. COLUMBIA RIVER BASIN Kootenai 15B15M Baree Trail 3800 48 7.5 12/3 6.8 6.7 6.6 12/3 3000 14A10M Murphy Lake R.S. 48 22.6 20.2 19.5 19.2 12/3 15A02M Raven R.S. 3050 48 23.0 19.3 19.4 20.2 Flathead 13A02M Desert Mountain 5600 54 8.4 13A05M Marias Pass 5250 54 6.5 12/1 5.6 4.3 4.8 Clark Fork Black Pine 11/25 13C13M 7100 48 10.0 8.9 8.6 12/3 13B19M Seeley Lake R.S. 4030 11.9 6.7 48 5.4 5.3 13003M Skalkaho Summit 7260 11/25 48 10.8 9.7 Bitterroot 13D18M Gibbons Pass 7100 48 7.1 11/26 6.1 5.9 5.5 14C05M Lolo Pass 5250 48 10.6 11/26 7.0 10.4 6.2 MISSOURI RIVER BASIN Beaverhead 11E13M Lakeview 6700 48 15.3 12/1 9.2 6.7 Madison 10DOAM Red Bluff 4800 4.7 40 2.1 2.0 llE07M West Yellowstone 6700 48 6.5 11/29 2.9 2.7 Gallatin 12/2 15.8 13.6 10D15M Bridger Bowl 7250 48 17.0 College Site 12.5 11D02M 4856 54 14.5 11/29 13.9 9.3 12/3 10D13M 6860 48 18.8 17.2 17.5 Lick Creek llE06M Twenty-One Mile 7150 48 10.0 11/28 4.3 3.0 7.4 Missouri Main Stem 10COLM Kings Hill 7420 48 11.8 11/29 9.3 6.8 7.5 13C08M 12/1 4.3 Stemple Pass 6350 48 5.9 4.2 4.1 Yellowstone 10D11M 12.4 6020 48 17.6 12/2 Battle Ridge 14.4 14.4

Northeast Entrance

10D07M

48

7350

12/1


9.4

8.9

6.7

6.9

<sup>\*\*</sup>AVERAGE FOR PERIOD OF RECORD



#### SOIL MOISTURE DATA

AS OF JANUARY 1, 1969

(Inches) SOIL PROFILE PAST RECORD CURRENT DATA SOIL MOISTURE STATION DATE FIELD SOIL LAST \*\*AVERAGE DEPTH OF MOISTURE YEAR CAPACITY NAME ELEVATION SURVEY NO. COLUMBIA RIVER BASIN Kootenai 3800 48 7.5 Baree Trail 15B15M 1/3 22.6 19.8 19.5 19.6 3000 48 14AlOM Murphy Lake R.S. 48 23.0 1/3 18.8 20.0 20.6 15A02M Raven R.S. 3050 Flathead 5600 54 1/6 8.8 6.6 6.8 13A02M Desert Mountain 8.4 6.5 5250 54 1/4 5.3 4.7 4.8 13A05M Marias Pass Clark Fork 12/31 8.8 Black Pine 7100 48 10.0 8.3 13C13M 11.9 13B19M Seeley Lake R.S. 4030 48 4.1 4.7 6.4 Skalkaho Summit 7260 48 10.8 13CO3M Bitterroot 1/2 48 7.1 5.3 Gibbons Pass 7100 5.7 5.4 13D18M 1/2 48 6.7 6.7 5250 10.6 10.2 Lolo Pass 14CO5M MISSOURI RIVER BASIN Beaverhead Lakeview 6700 1/2 7.2 11E13M 48 15.3 7.8 5.3 Madison Red Bluff 4800 40 4.7 1.5 2.0 10DOAM 12/30 3.1 2.3 ILEO7M West Yellowstone 6700 48 6.5 Gallatin 14.6 10D15M 7250 48 17.0 Bridger Bowl 12/27 12.2 9.1 14.5 11D02M College Site 4856 54 13.3 1/2 18.8 16.8 17.7 10D13M 6860 48 Lick Creek 12/30 3.0 2.8 llE06M 7150 48 7.0 Twenty-One Mile 10.0 Missouri Main Stem 7.6 7.2 12/27 6.0 10COLM 7420 48 11.8 Kings Hill 1/2 6350 48 5.9 4.3 4.1 4.1 13CO8M Stemple Pass Yellowstone 12/31 12.3 10D11M 6020 48 17.6 13.8 12.8 Battle Ridge 48 12/30 8.4 5.6 6.6 LODO7M Northeast Entrance 7350 9.4


<sup>\*\*</sup>AVERAGE FOR PERIOD OF RECORD



#### RESERVOIR STORAGE DATA

AS OF DECEMBER 31, 1968

	AS OF	DECEMBER 31	., 1968		(1000 Acre Feet)
				USEABLE STORAG	
BASIN	RESERVOIR	USEABLE CAPACITY	THIS YEAR	LAST YEAR	AVERAGE
COLUMBIA RIV	ER BASIN				
Flathead	Hungry Horse	3,428.0	3,147.0	2,457.0	2,766.0
	Flathead Lake	1,791.0	1,402.0	· ·	1,330.0
	Camas (Sum of 4)	45.2	12.6	21.7	26.7
	Mission Valley (Sum of 8)	100.3	82.8		28.7
Clark Fork	Georgetown Lake	31.0	30.0	29.2	26.2
	Noxon Rapids	334.6		316.3	321.1**
Bitterroot	Como	34.9	14.2	12.9	6.8
	Painted Rocks	31.7	29.5	12.9	23.2
MISSOURI RIV	ER BASIN				
Beaverhead	Clark Canyon	328.9	151.3	155.5	ean
	Lima	84.0	45.5	41.6	22.6
Ruby	Ruby	38.8		=	17.4
Madison	Hebgen Lake	377.5	299.5	237.0	170.6
	Ennis Lake	41.0	35.0	34.6	37.5
Gallatin	Middle Creek	8.0	3.0	3.1	2.9
Missouri	Canyon Ferry	2,043.0	1,751.0		1,676.0
	Hauser & Helena	61.9	62.5		58.2
	Lake Helena	10.4	10.7	8.6	9.2
	Holter Lake	81.9	64.9	80.0	70.5
	Smith River	10.7	7.5	7.5	5.6
	Durand	7.0	6.0	4.3	3.8
	Martinsdale	23.1	10.6	9.9	6.8
	Deadman's Basin	72.2	47.1		
	Fort Peck	19,410.0		16,310.0	*
Sun	Gibson	105.0	59.5		44.1
	Willow Creek	32.3	· ·	15.1	20.2
W	Pishkun Madiain	32.0	17.2		
Marias	Lower Two Medicine	16.6		= = = = = = = = = = = = = = = = = = =	30.0
	Four Horns	19.2	~ ~ ~	12.0	12.3
	Swift	30.0	18.5	6.3	15.6
	Lake Frances	112.0	79.0	70.7	83.5
Milk	Tiber	1,347.0	452.0	469.1	625.4
MLIK	Fresno	127.2 66.8	90.3		61.9
	Nelson Lake Sherburne	66.1	46.7	42.9 20.2	44.4
Yellowstone	Mystic Lake	20.8	15.2	16.7	15.3
TOTTOMS POHE	Tongue River	68.0	T) %	26.6	13.5 18.8
	Cooney	27.5	18.8	17.9	12.5
Big Horn	Yellowtail	1,356.0	786.6	941.7	1507
	☆ ◇ ☆ ☆ ◇ ☆ ☆ ☆ ☆ ☆ ☆ ☆ ☆ ☆ ☆ ☆ ☆ ☆ ☆ ☆	190000	,00.0	1000	



## Agencies and Organizations Cooperating in Montana Snow Surveys

- U. S. Forest Service
  Region I, Missoula, Montana
  Montana Forests and Ranger
  Districts
- U. S. Geological Survey Helena, Montana Portland, Oregon
- U. S. Army Corps of Engineers Portland, Oregon Seattle, Washington Walla Walla, Washington Omaha, Nebraska
- U. S. Indian Irrigation Service St. Ignatius, Montana
- U. S. Weather Bureau Helena, Montana Portland, Oregon Kansas City, Missouri
- U. S. Bureau of Sports Fisheries and Wildlife Red Rock Lakes Refuge Monida, Montana
- U. S. Bureau of Reclamation Billings, Montana Boise, Idaho
- U. S. Bonneville Power Administration Portland, Oregon

- U. S. Soil Conservation Service Montana, Wyoming, Idaho
- Soil and Water Conservation Districts Montana Counties
- U. S. National Park Service Yellowstone National Park Glacier National Park
- Montana Power Company Butte, Montana
- Montana Water Resources Board Helena, Montana
- North Montana Branch Station Agricultural Experiment Station Havre, Montana
- Montana State University
  Agricultural Experiment Station
  Bozeman, Montana
- University of Montana School of Forestry Missoula, Montana
- Water Rights Branch, Dept. of Lands and Forests Victoria, British Columbia
- Department of Energy, Mines and Resources Calgary, Alberta

UNITED STATES DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE P. O. Box 98

BOZEMAN, MONTANA 59715

OFFICIAL BUSINESS

FEDERAL - STATE - PRIVATE

COOPERATIVE SNOW SURVEYS

Furnishes the basic data necessary for forecasting water supply for irrigation, domestic and municipal water supply, hydro-electric power generation, navigation, mining and industry

"The Conservation of Water begins with the Snow Survey".

POSTAGE AND FEES PAID U. S. DEPARTMENT OF AGRICULTURE

### 

U. S. DEPARTMENT OF AGRICULTURE NATIONAL AGRICULTURAL LIBRARY CURRENT SERIAL RECORD WASHINGTON, D. C. 20250